

Table 5-3
Bulk-Storage Tank Systems at ABIA
Storm Water Pollution Prevention Plan
Austin Bergstrom International Airport

| Tenant | Contents | Description | Location |
|--|----------------------|-------------------------------------|----------|
| ABX, Inc. | PG | 5,000 gallons in totes/drums | I |
| Advantage Rental Car | unl gasoline | 10,000 gal. AST | O |
| | fuel/oily water | O/WSep. | O |
| Aircraft Service International Group-Airline Fuel Farm | diesel | 70 gal. AST for emergency generator | O |
| | Jet A | 480,000 gal. AST | O |
| | Jet A | 691,000 gal. AST | O |
| | waste Jet A | 1,000 gal. AST | O |
| | fuel/oily water | 25,000 gal. O/W Sep | O |
| Alamo Rental Car | unl gasoline | 2-12,000 gal. ASTs | O |
| | oil | 200 gal. AST | I |
| | used oil | 400 gal. AST | I |
| | fuel/oily water | Emergency 1,000 O/W Sep. | O |
| American Airlines (AA) @ GSEM | PG | 3,000 gal. AST | O |
| American Airlines (Terminal) | used oil | 200 gal. AST | I |
| Atlantic Aviation | Jet A | 3- 20,000 gal. ASTs | O |
| | avgas | 12,000 gal. AST | O |
| | oily water | Emergency O/W Sep. | O |
| | fire fighting runoff | 10,000 gal. UST | O |
| | used oil | 500 gal. | O |
| Avis Rental Car | unl gasoline | 12,000 gal. AST | O |
| | window fluid | 500 gal. AST | O |
| | leather soap | 500 gal. AST | O |
| | oil | 2-500 gal. AST | I |
| | used oil | 500 gal. AST | I |
| | fuel/oily water | Emergency 1,000 O/W Sep. | O |
| Budget Rental Car | unl gasoline | 3,600 gal. AST | O |
| | fuel/oily water | Emergency 1,000 gal. O/W Sep. | O |
| Continental Airlines | oil | 275 gals. | I |
| | anti-freeze | 275 gals. | I |
| | Sump fuel | 250 gal. AST | I |
| Delta Airlines | PG | 3,000 gal. AST | O |

Table 5-3
Bulk-Storage Tank Systems at ABIA
Storm Water Pollution Prevention Plan
Austin Bergstrom International Airport

| Tenant | Contents | Description | Location |
|--|-----------------|--|----------|
| DOA Building Maintenance (DOA BM) @ Bldg. 7380 | water | 500,000 gal. | O |
| DOA BM @ RCCF | interior drain | 6,000 gal. UST in containment ⁽¹⁾ | O |
| DOA BM @ Transportation Staging Bldg. 6015 | diesel | 64 gal. AST for emergency generator | O |
| DOA BM @ Passenger Terminal Bldg. 7035 | diesel | 2 - 350 gal. AST for emergency generator | I |
| DOA BM @ Terminal Parking Garage Bldg. 7040 | diesel | 450 gal. AST for emergency generator | I |
| DOA BM @ Parking Bldg. 7120 | diesel | 152 gal. AST for emergency generator | O |
| DOA BM @ Parking Bldg. 7285 | diesel | 64 gal. AST for emergency generator | O |
| DOA BM @ Parking Bldg. 7350 | diesel | 52 gal. AST for emergency generator | O |
| DOA BM @ ABIA Communications Center Bldg. 7355 | diesel | 199 gal. AST for emergency generator | O |
| DOA BM @ ABIA Communications Center Bldg. 7355 | diesel | 100 gal. AST for emergency generator | I |
| DOA BM @ Airport Maintenance Bldg. 8155 | diesel | 100 gal. AST for emergency generator | O |
| DOA BM @ Airport Lighting Bldg. 8105 | diesel | 350 gal. AST for emergency generator | O |
| DOA BM @ Passenger Terminal Bldg. 7035 | waste water | 2 - 750 & 1- 450 (sanitary grit traps) | O |
| DOA Field Maintenance | diesel | 2 - 1,000 gal. AST | O |
| | unl gasoline | 2 - 1,000 gal. AST | O |
| | used oil | 275 gal. AST | I |
| Dollar /Thrifty Rental Car | unl gasoline | 2,000 gal. AST | O |
| | fuel/oily water | O/WSep. | O |
| Enterprise Rental Car | unl gasoline | 4,000 gal. AST | O |
| ExpressJet | PG | 4-265 gal. Totes | I |
| | PB | 500 gal. In De-icing lift | O |
| | fuel/oily water | 750 gal. O/W Sep. | O |
| Federal Aviation Administration | diesel | 2,000 gal. AST, generator @offices | O |
| | diesel | 2,000 gal. AST, generator @radar site | O |
| | diesel | 2,000 gal. UST, generator @light control | O |
| Federal Express | oil | 300 gal. AST | I |
| | PG | 5000 gal. AST (mobile tanker) | O |
| | used oil | 200 gal. AST | I |
| Global Aviation Services | oil | 200 gal. AST | I |
| | used oil | 200 gal. AST | I |
| Hertz Rental Car | unl gasoline | 3- 6,000 gal. ASTs | O |
| | oil | 500 gal. AST | I |

Table 5-3
Bulk-Storage Tank Systems at ABIA
Storm Water Pollution Prevention Plan
Austin Bergstrom International Airport

| Tenant | Contents | Description | Location |
|---|---------------------|----------------------------------|----------|
| | used oil | 500 gal. AST | I |
| | fuel/oily water | Emergency 1,000 gal. O/W Sep. | O |
| Hilton Hotel | diesel | ~ 500 gal. AST, generator | O |
| Integrated Airline Services, Inc. | used oil | 680 gal. AST | I |
| Signature Flight Support | Jet A | 2 - 12,000 gal. ASTs | O |
| | avgas | 12,000 gal. AST | O |
| | wash water | wash rack O/W Sep. | O |
| | unl gasoline | 2,000 gal. AST | O |
| | oily water | Emergency Drain O/W Sep. | O |
| | Sump fuel | 500 gal. AST (FBO) | O |
| | Sump fuel | 250 gal. AST (GSEM) | I |
| | PG | 10 - 265 gallon totes | O |
| | new oil | GSEM 250 gal. AST | I |
| Southwest Airlines | PG | 3,000 gal. AST | O |
| | PG | 2,000 gal. AST | O |
| TXDOT Flight Services | Jet A | 3-12,000 gal. ASTs | O |
| | avgas | 12,000 gal. AST | O |
| | used oil | 500 gal. fiberglass UST | O |
| | wash water | 1,000 gal. fiberglass UST | O |
| | empty | 4 @ 500 UST gal., for emergency | O |
| | wash water | wash rack O/W Sep. | O |
| | fuel/oily water | fuel system O/W Sep. | O |
| Temple-Inland | Jet A | 12,000 gal. AST | O |
| | oily water | 500 gal. O/W Sep. | O |
| Texas Army National Guard-Austin Army Aviation Support Facility | wash water | wash rack O/W Sep., | O |
| | diesel;unl gasoline | pump truck w/ two 600 gal. tanks | O |
| | Jet A | 2-10,000 gal., ASTs | O |
| | Jet A | 3-2,500 gal. tanker trucks | O |
| | Ramp O/W | 3,000 gal. O/W Sep. | O |
| | fuel/oily water | Emergency 1,000 gal. O/W Sep. | O |
| Transit Mix-Concrete and Materials Co. | diesel | 4,000 gal. AST | O |
| | used oil | 500 gal. AST | O |
| | soap | 250 gal. AST | O |
| | air entrainment | 500 gal. AST | O |

Table 5-3
Bulk-Storage Tank Systems at ABIA
Storm Water Pollution Prevention Plan
Austin Bergstrom International Airport

| Tenant | Contents | Description | Location |
|--|--------------|---------------------------|----------|
| | retarder | 1,500 gal. AST | O |
| | stabilizer | 500 gal. AST | O |
| Transit Mix-Concrete and Materials Co. | plasticizers | 2 @1,500 gal. AST | O |
| | accelerator | 1,000 gal. AST | O |
| | accelerator | 1,500 gal. AST | O |
| United Parcel Services | PG | 2,500 gal. In totes/drums | I |

Notes:

1) facility waste is gathered by a drain system throughout the hangar that flows to this tank contained in a 36,000 gallon concrete vault.

Abbreviations:

PG - Propylene Glycol

O/W Sep. - oil/water separator

AST - above ground storage tank

UST - underground storage tank

I - Indoors

O - Outdoors

unl - Unleaded