

## City of Austin Water Conservation Program Commercial Flush Valve Toilet List of Approved for Rebate

*Only the Toilets listed below qualify for the Toilet Replacement Program rebate option.*

**Sloan Crown or Crown II flush valves Models 111 or 115  
must be used to qualify for the Rebate.**

9/29/2005

*Note: This list is subject to change. Call the Water Conservation Office (974-2199) to verify if a toilet is still on the list*

Manufacturer	Model	Available Rough Ins*	Model Numbers	Elongated Bowl	ADA Compliant (17")
American Standard	Afwall (wall mt.)		2254- 2257	Y	Y
	Madera (floor mt.)	10"-12"	2234	Y	N
Crane	Placidus (wall mt.)		3446	Y	Y
	Hymont, Jr. (floor mt.)	10"-12"	3816	N	Y
Toto	CT708 EL (wall mt.)		CT708 EL	Y	Y
	CT705 EL (wall mt.)	10"-12"	CT705 EL	Y	N
Vortens	Flux (floor mt.)	10"-12"	3115	Y	N

**Only the versions listed with a Y are eligible for rebate. Models listed with an N may be available for purchase, but do not meet the eligibility requirements.**

\* The rough in is the distance from the bolts that hold the toilet to the floor and the wall behind the toilet.

Note: The Sloan Crown and Crown II valves are the only flush valves allowed for rebate because they can not be retrofitted with the wrong diaphragm or adjusted to use more than 1.6 gallons per flush.

The criteria to select the models listed above were based on the following study:  
**Testing of Popular Flusometer Valve/Bowl Combinations, Veritec Consulting, Inc.**

### City of Austin Water Conservation Program

625 E. 10th St., Suite 615 P.O. Box 1088 Austin, TX 78767  
(512) 974-2199 fax 974-6548 [www.cityofaustin.org/watercon](http://www.cityofaustin.org/watercon)